



CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No.: 6,824,847 B2

Serial No. : 09/778,880

Filed : February 8, 2001

Issued : November 30, 2004

For : Expandable And Curable Flexible Preform Containing Unsaturated Resins, For  
Casing A Well Or A Line

**PETITION FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 C.F.R. § 1.322 OR § 1.323**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate  
FEB 08 2005  
of Correction**

Sir:

Applicants hereby request that the above-identified U.S. patent be corrected in accordance with the attached Certificate of Correction.

I. C.F.R. § 1.322

- ☒ The mistake(s) was/were incurred through the fault of the Patent and Trademark Office and is/are clearly disclosed in the records of the Office. Therefore, no fee is due.

II. C.F.R. § 1.323


- ☐ At least some of the mistakes was/were made by the applicant. Therefore, a check in the amount of \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is enclosed herewith.

Enclosed herewith is a Form PTO-1050 (in duplicate) listing an error/errors that has/have been found in the above-identified patent. The error(s) is/are of a clerical or typographical nature or of minor character and was/were made in good faith. The requested correction(s) does/do not constitute new matter or require reexamination.

**FEB 14 2005**

III. Accordingly, patentees and their assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.322 or § 1.323, respectively.

Respectfully submitted,



---

James E. Ruland, Reg. No. 37,432  
Attorney for Applicants

MILLEN, WHITE, ZELANO  
& BRANIGAN, P.C.  
Arlington Courthouse Plaza 1  
2200 Clarendon Blvd. Suite 1400  
Arlington, Virginia 22201  
Telephone: (703) 243-6333  
Facsimile: (703) 243-6410

Attorney Docket No.: PET-1916

Date: February 2, 2005

JER/jqs

FEB 14 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO : 6,824,847 *B2*

DATED : November 30, 2004

INVENTOR(S) : Paul Mariaggi

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 12, line 29 reads "2° C", should read --22° C--.

## MAILING ADDRESS OF SENDER:

Millen, White, Zelano & Branigan, P.C.  
2200 Clarendon Blvd, Suite 1400  
Arlington, VA 22201

PATENT NO. 6,824,847

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

FEB 14 2005